	Application No.	Applicant(s)	
Notice of Allowability	09/964,356	MATSUEDA, YOJIRO	
	Examiner	Art Unit	
	Kent Chang	2673	
The MAILING DATE of this communication apperation apperation allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apport or other appropriate communication (GHTS. This application is subject to	olication. If not included will be mailed in due course. <b>THIS</b>	; tive
1. $\boxtimes$ This communication is responsive to <u>the interview dated 9/</u>	<u>/30/04</u> .		
2. The allowed claim(s) is/are 1 and 3-74, renumbered as claim	<u>ims 1-73</u> .		
3. $\boxtimes$ The drawings filed on <u>28 September 2001</u> are accepted by	the Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority una)  All b)  Some* c)  None of the:  1.  Certified copies of the priority documents have 2.  Certified copies of the priority documents have 3.  Copies of the certified copies of the priority documents have 1.  Certified copies of the priority documents have 2.  Certified copies of the priority documents have 3.  Copies of the certified copies of the priority documents have 1.  Certified copies not received: </li></ul>	e been received. e been received in Application No cuments have been received in this of this communication to file a reply MENT of this application.  hitted. Note the attached EXAMINER es reason(s) why the oath or declara st be submitted. son's Patent Drawing Review ( PTO-	national stage application from the complying with the requirements 'S AMENDMENT or NOTICE OF ation is deficient.	
Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1	I.84(c)) should be written on the drawi	ngs in the front (not the back) of	
each sheet. Replacement sheet(s) should be labeled as such in to 7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL	must be submitted. Note the	
			Ę,
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Da 08), 7. ⊠ Examiner's Amend	te	

Application/Control Number: 09/964,356

Art Unit: 2673

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Richard Elias on 9/30/04.

The application has been amended as follows:

56. (Amended) An electronic apparatus comprising a display device for displaying data,

said display device comprising an electro-optical display device using the electro-optical device according to Claim 1, or the organic electroluminescent display device comprising: a plurality of row lines and a plurality of data-lines which are arranged in a matrix manner; organic electroluminescent elements which are disposed correspondingly to intersections of the row lines and the data lines; a data line driving circuit capable of driving the data lines; a row driving circuit capable of driving the row lines; and an auxiliary data line driving circuit, independent from the data line driving circuit, that drives the data lines, the auxiliary data line driving circuit including a decoder, all of the data lines being connected to the data line driving

Application/Control Number: 09/964,356

Art Unit: 2673

circuit and only a portion of the data lines being selectively connected to the auxiliary data line driving circuit.

74. (New) An electronic apparatus comprising a display device for displaying data,

said display device comprising the organic electroluminescent display according to Claim 39.

## **CONTACT INFORMATION**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kent Chang whose telephone number is 703-305-4824. The examiner can normally be reached on Monday to Thursday from 9:00 AM to 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin Shalwala, can be reached at 703-305-4938.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:

703-872-9306

Application/Control Number: 09/964,356

Art Unit: 2673

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal

Drive, Arlington, VA, Sixth Floor (Receptionist).

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kent Chang Primary Examiner

Art Unit 2673

kc

9/30/04